

Issuing date : 06-Jun-2000
Revision date : 15-Oct-2016

SDS #: ICW 0808 R - 02 GL EN
Version : 05

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product Identifier**

Product name Canon Ink Tank BCI-3eM
Product Code(s) 4481A
Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet**Supplier**

Canon Australia Pty Ltd
Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia
Email : qse@canon.com.au
Phone number : (61) 2-9805-2000
Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited
28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand
Email : qse@canon.com.au
Phone number : 0800 222 666 (Within New Zealand)
Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.
1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522
Email : cspl_msds@canon.com.sg
Phone number : (65) 6799-8888

Canon India Pvt. Ltd.
7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India
Phone number : (91) 124-416-0000
Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd
2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC.
607 Teheran-ro, Gangnam-gu, Korea
Email : webmaster@canon-bs.co.kr
Phone number : (82) 1588-2500

Manufacturer

Canon Inc.
30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification**Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008
Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Not required

Signal word

Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

Contains 1,2-benzisothiazol-3(2H)-one.
May produce an allergic reaction.

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Glycerin	56-81-5	200-289-5	5 - 10	None	
Ethylene glycol	107-21-1	203-473-3	1 - 5	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	(1)
Diethylene glycol	111-46-6	203-872-2	1 - 5	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	
Isopropyl alcohol	67-63-0	200-661-7	1 - 5	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	
Quinoline derivative	CBI	CBI	1 - 5	Eye Irrit. 2 (H319)	
Triazine derivative	CBI	CBI	1 - 5	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)	
Ammonia derivative	CBI	CBI	5 - 10	None	
Water	7732-18-5	231-791-2	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

Inhalation

Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion

Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.

Skin Contact

Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.

Eye Contact

Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

Inhalation	None under normal use. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing.
Ingestion	None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Skin Contact	None under normal use.
Eye Contact	None under normal use. May cause slight irritation.
Chronic Effects	None under normal use.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

None

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Glycerin 56-81-5	None	TWA: 10 mg/m ³ inhalable dust, mist	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction	None
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m ³ STEL: 40 ppm STEL: 104 mg/m ³	TWA: 10 mg/m ³ particulate TWA: 20 ppm vapour TWA: 52 mg/m ³ vapour STEL: 40 ppm vapour STEL: 104 mg/m ³ vapour	None	Ceiling: 100 mg/m ³ aerosol only
Diethylene glycol 111-46-6	None	TWA: 23 ppm TWA: 100 mg/m ³	None	None
Isopropyl alcohol 67-63-0	None	TWA: 400 ppm TWA: 983 mg/m ³ STEL: 500 ppm STEL: 1230 mg/m ³	TWA: 400 ppm TWA: 980 mg/m ³	TWA: 200 ppm STEL: 400 ppm

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face Protection Not required under normal use.
Skin Protection Not required under normal use.
Respiratory Protection Not required under normal use.
Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Magenta ; Liquid
Odor	Slight odor
Odor threshold	No data available
pH	9 - 10
Melting/Freezing point (°C)	No data available
Boiling Point/Range (°C)	No data available
Flash Point (°C)	55 - 57 (Tag. Closed Cup. Combustion is not sustainable.) (Estimate)
Evaporation Rate	No data available
Flammability (solid, gas)	Not Applicable
Flammability Limits in Air	

Upper Flammability Limit	No data available
Lower Flammability Limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.0 - 1.1
Solubility(ies)	Water; miscible
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature (°C)	No data available
Decomposition Temperature (°C)	No data available
Viscosity (mPa s)	1 - 5
Explosive properties	None; estimated
Oxidizing properties	None; estimated

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity	LD50 > 2500 mg/kg (Ingestion) (Estimate) (OECD Guideline)
Skin corrosion/irritation	Mild irritant (Estimate) (OECD Guideline)
Serious eye damage/eye irritation	Minimal irritant (Estimate) (OECD Guideline)
Sensitization	Non-sensitizer (Estimate) (OECD Guideline)
Germ cell mutagenicity	Ames test: Negative Chromosome aberration test: Negative
Carcinogenicity	No data available

Reproductive Toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available
Other Information	No data available

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

Fish, 96h LC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)
Crustaceans, 48h EC50 > 100 mg/L, NOEC = 100 mg/L (Estimate) (OECD Guideline)
Algae, ErC50 (0-72h) > 200 mg/L, EbC50 (72h) > 76 mg/L, NOEC = 12.5 mg/L (Estimate) (OECD Guideline)
NOEC: No Observed Effect Concentration

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

<u>UN number</u>	None
<u>UN Proper Shipping Name</u>	None
<u>Transport Hazard Class</u>	None
<u>Packing Group</u>	None
<u>Environmental Hazards</u>	No special environmental precautions required.

<u>Special Precautions for users</u>	None
<u>Transport in bulk according to Annex II of MARPOL and the IBC Code</u>	Not Applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation	Not regulated
(EC) No 1907/2006 Restriction	Not regulated
(EC) No 1005/2009	Not regulated
(EC) No 850/2004	Not regulated
(EU) No 649/2012	Not regulated
Australia Information	Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011.
Other Information	None

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor
H302 - Harmful if swallowed
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H373 - May cause damage to organs through prolonged or repeated exposure
H412 - Harmful to aquatic life with long lasting effects

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- IARC: International Agency for Research on Cancer
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- CBI: Confidential Business Information

Issuing date :	06-Jun-2000
Revision date :	15-Oct-2016
Revision Note	Entirely revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.