



EFFICIENT DESKTOP SCANNING FOR SMALL WORKSPACES

Compact, reliable and user-friendly Canon's imageFORMULA DR-C340 and DR-C350 document scanners designed to elevate office productivity with fast, high-quality scanning.

KEY SPECIFICATIONS

SCANNING SPEED

DR-C340: 40 ppm / 80 ipm
DR-C350: 50 ppm / 100 ipm

AUTOMATIC DOCUMENT FEEDER

100 sheets

SUPPORTS MULTIPLE DOCUMENT TYPES

Receipts, cards, passports, long documents and more

COMPACT SIZE

Just 283 mm wide

BENEFITS

- 01 **Space saving compact design** ideal for space-limited desks and offices.
- 02 **High-quality scanning** with advanced image processing tools for crisp and clear scans.
- 03 **Wide range of uses for various sectors** from government, financial, healthcare, hospitality to education.
- 04 **Flexible scanning for mixed documents** with a robust feeding mechanism for media of varying sizes and thickness.
- 05 **Simple operation with user-friendly controls**, intuitive display and a complimentary software to simplify scanning tasks.

ULTRA COMPACT, SPACE SAVING

With an ultra-narrow width of just **283 mm wide**, the DR-C340/C350 stands among the most compact scanners in its class making it ideal for branch offices, retail spaces and reception areas.



Width: 283 mm | Height: 218 mm | Length: 157 mm

FLEXIBLE AND DYNAMIC USAGE

The DR-C340/C350 serves diverse industries and departments. Its dynamic scanning capabilities accelerate digitisation and simplify the transition to digital transformation.

VERSATILE SCANNING FOR VARIOUS MEDIA TYPES, SIZES AND THICKNESS

The DR-C340/C350 scans up to **80 ipm / 100 ipm** respectively with duplex scanning in a single pass to elevate performance and efficiency. It can handle various document types including ultra-thin papers, long documents, ID cards and even passports.



Up to **80 ipm**
with **DR-C340**

Up to **100 ipm**
with **DR-C350**



Select pre-configured
job number with ease

USER-FOCUSED, EASY OPERATION

Easy operation with an intuitive display allows users to start scanning and select pre-configured jobs with one-touch buttons and more. The complimentary software, **CaptureOnTouch**, has powerful document processing tools. Users can pre-configure scan tasks and even send scanned documents directly to third-party cloud applications such as Microsoft® SharePoint®, Dropbox and OneDrive. CaptureOnTouch supports OCR, barcode and 2D code recognition which facilitates a smooth integration into existing workflows and systems.

DR-C340/C350 **Double Feed Release (DFR)** function allows scanning to resume quickly when double feed is detected, keeping downtime to a minimum. The **DR Management Tool** also allows administrators to centrally manage scanners across the organisation.

HIGH-QUALITY IMAGING

With advanced image processing tools such as the **Auto Colour Detection** and **Auto Resolution**, mixed documents with images are easily scanned with optimised output settings to enhance quality and reduce file size. Additional features further improve text legibility on hard-to-read documents, ensuring greater capture accuracy.

SPECIFICATIONS

PRODUCT SPECIFICATIONS		
	DR-C340	DR-C350
Type	Desktop type double-sided sheet fed scanner	
Scanning Sensor Unit	CIS	
Optical Resolution	600 dpi	
Light Source	RGB LED	
Scanning Side	Front / Back / Duplex	
Supported Interfaces	USB 3.2 / USB 3.1 / USB 3.0 / USB 2.0 (Connector type: Type-C™) ¹	
Dimensions (WxDxH)	Tray closed: 283 x 223 x 218 mm	
Weight	3.2 kg	
Power Requirements	AC 100-240V (50/60Hz)	
Power Consumption	Scanning : 15.6W or less Sleep Mode: 0.6W Power Off: 0.1W or less	
Operating Environment	10°C to 32.5°C Humidity: 20% to 80% RH	
Environmental Compliance	Product: EPEAT Gold ² , Energy STAR, RoHS Manufacturer: ISO 9001, ISO 14001, ISO 45001, ISO 13485, ESG Certification (SGS)	
SCANNING SPECIFICATIONS		
Black and White	40 ppm / 80 ipm (200 / 300 dpi)	50 ppm / 100 ipm (200 / 300 dpi)
Colour	40 ppm / 80 ipm (200dpi) 40 ppm / 80 ipm (300dpi)	50 ppm / 100 ipm (200dpi) 40 ppm / 80 ipm (300dpi)
Output Resolution	100 / 150 / 200 / 240 / 300 / 400 / 600 / 1200 dpi	
Output Mode	Colour / Grayscale / Black and White	
Suggested Daily Volume	from 4,500 to 7,000 scans/day	from 5,000 to 8,000 scans/day

DOCUMENT SPECIFICATIONS		
	DR-C340	DR-C350
Width	50 - 216 mm	
Length	54 - 356 mm	
Thickness	27 g/m ² - 413 g/m ² (0.04 - 0.49 mm)	
Long Document Mode	Up to 6,096 mm	
Business Card Scanning	Width: 50 - 55 mm / Length: 85 - 91 mm / Thickness: 128 - 255 g/m ² (0.15 - 0.3 mm)	
Plastic Card Scanning	Width: 86 mm / Length: 54 mm / Thickness: 1.4 mm or less (Embossed card supported)	
Passport Scanning	Up to Thickness 6.0 mm (with carrier sheet) / 4.0 mm (without carrier sheet)	
Paper Separation	Retard Roller Method	
Feeder Capacity	100 sheets (A4)	
SPECIAL FEATURES		
Special Features	Ultrasonic Double Feed Detection, Auto Colour Detection, Skip Blank Page, Auto Page Size Detection, Auto Resolution Setting, Text Orientation, Recognition, Barcode/2D Code Recognition, OCR Recognition, Batch Separation, Active Threshold, Text Enhancement (I/II), Deskew, Double Feed Release, Prescan, Colour Correction, Prevent Bleed-Through/Remove Background, Background Smoothing, Character Emphasis, Colour Dropout/Enhance (RGB), MultiStream Function, Adjustable Gamma Settings, Moire Reduction, Folio Mode, Reduction Ratio Adjustment, B&W Contrast, Reverse Image, Rapid Recovery System.	
BUNDLED SOFTWARE		
Windows	ISIS, TWAIN and WIA Driver / CaptureOnTouch Pro / Canon imageFORMULA Driver Setting Tool / DR-Management Tool (by download only)	
OTHER OPTIONS		
Consumables	Exchange Roller Refill Kit C340/C350	
Options	Flatbed Scanner Unit 102 (A4) A4 Carrier Sheet Passport Carrier Sheet	

All data is based on Canon standard testing methods except where indicated. Subject to change without notice.

Footnotes:

- ¹ USB Type-C™ and USB-C™ are Trademarks of USB Implementers Forum.
- ² EPEAT GOLD is a US Certification.

Canon
Delighting You Always

**SOUTH AND SOUTHEAST ASIA REGIONAL HEADQUARTERS
CANON SINGAPORE PTE. LTD.**
1 Fusionopolis Place, #14-10 Galaxis, Singapore 138522
Tel : 65-6799-8888 | Fax : 65-6799-8882 | <https://asia.canon>

DEALER'S STAMP

This document is for information purposes only. The contents are subject to change without notice. Product options, name and availability may vary by regions. We expressly disclaim any liability or contractual obligations with respect to this document. Brands and product names are trademarks and/or registered trademarks of their respective owners.