

imageCLASS
MF269dw | MF266dn | MF264dw | MF261d

Canon

Delighting You Always

SEAMLESS CONNECTIVITY ALWAYS READY TO PRINT



HIGH
PERFORMANCE



TOTAL
CONVENIENCE



GREAT
CONNECTIVITY



ECO-FRIENDLY

Business Can Be Simple



PRODUCTIVE PRINTING THAT MAKES BUSINESS SENSE.

A Multi-Function Printer that means serious business – the imageCLASS MF260 series. Well-equipped to deliver more, this line-up is designed to optimise your workflow in the office. Print, scan, copy, fax reliably with ease and get the job done in no time, always. The imageCLASS MF260 series is a business partner you can always count on.

HIGH PERFORMANCE



DOUBLE-DOWN EFFICIENCY

Automate scanning up to 35 sheets of documents with the Auto Document Feeder (ADF) in MF266dn and MF264dw. The Duplex ADF in MF269dw is capable of scanning up to 50 sheets two-sided originals, for an added efficiency.



SIZED TO YOUR NEEDS

The MF260 series gives you the flexibility of printing on A5 and A6 paper sizes. The ideal companion to print invoices, flyer, business leaflets and reports.



SUPERB PRINT SPEED

Better efficiency with Canon's On Demand Fixing Technology, the MF260 series produces quality printouts at a rapid speed of 28ppm.

TOTAL CONVENIENCE



ONE-TOUCH SOLUTIONS

Available on MF269dw and MF266dn, the 6-line LCD touch panel gives you everything you need at a glance. For frequently accessed functions such as Paper Save Copy, ID Card Copy and Scan to PC, one-touch solution keys have been pre-configured to enable you perform these tasks with ease.



SCAN & SHARE

Make full use of Canon's SEND technology for easier sharing and exchange of documents. Scan and send via email or shared folder directly from your multi-function printer.



INTEGRATE SEAMLESSLY

The built-in PCL language ensures compatibility with a wide range of business applications. Canon's proprietary UFR II LT print language helps to speed up document processing and printing for added productivity round the clock.

GREAT CONNECTIVITY



PRINT FROM ANYWHERE

Be at the centre of soaring office productivity. Canon PRINT Business app lets you print and scan directly from your iOS and Android devices. With direct connection on the MF269dw and MF264dw, you can now work and print on the move with a suite of added solutions: Apple AirPrint™, Google Cloud Print™, Mopria® and Canon Print Service.

ECO-FRIENDLY



PRINTS BOTH WAYS

Perform double-sided prints with duplex printing on the MF260 line of laser printers. This feature effectively saves your paper resources, and the environment. Enjoy even more eco-savings with the Sleep Mode, which works to minimise energy consumption when your printer remains idle for a period of time.

SPECIFICATIONS		MF269dw	MF266dn	MF264dw	MF261d
PRINT					
Printing Method		Monochrome Laser Beam Printing			
Print Speed	A4	28 ppm			
	Letter	30 ppm			
Print Resolution		600 x 600 dpi , 1,200 × 1,200 dpi (eq.), 2,400 (eq.) × 600 dpi			
Warm Up Time (From Power On)		15 sec or less			
First Print Out Time (FPOT)	A4	Approx. 5.2 sec			
	Letter	Approx. 5.1 sec			
Recovery Time (From Sleep Mode)		1.6 sec or less			
Print Language		UFR II LT,PCL			UFR II LT
Auto Duplex Print		Standard			
Available Paper Size for Auto Duplex Print		A4, Legal, Letter,Foolscap, Indian Legal			
Print Margins		5mm - top,bottom,left and right (Envelope: 10 mm)			
Print Features		Poster,Booklet,Watermark,Toner Saver			
COPY					
Copy Speed A4	A4	28 ppm			
	Letter	30 ppm			
Copy Resolution		600 x 600 dpi			
First Copy Out Time (FCOT); from platen glass	A4	Approx. 8.2 sec			
	Letter	Approx. 8.0 sec			
First Copy Out Time (FCOT); from feeder	A4	Approx. 11.0 sec			-
	Letter	Approx. 10.8 sec			-
Maximum Number of Copies		Up to 999 copies			
Reduce/Enlargement		25 - 400% in 1% increments			
Copy Features		Collate, 2 on 1, 4 on 1, ID Card Copy,Passport Copy			
SCAN					
Scan Resolution	Optical	Up to 600 x 600 dpi			
	Driver Enhanced	Up to 9,600 x 9,600 dpi			
Scan Type		Colour Contact Image Sensor			
Maximum Scan Size	Platen Glass	Up to 215.9 x 297 mm			
	Feeder	Up to 215.9 x 355.6 mm			-
Scan Speed ^(*)	Platen Glass	2.6 seconds or less			
	Feeder	1-Sided Scanning: 7.3 pages/minute; 2-Sided Scanning: 2.4 pages/minute	1-Sided Scanning: 7.3 pages/minute		-
Colour Depth		24-bit			
Pull Scan		Yes,USB and Network			Yes,USB
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network			Yes,USB
Scan To Cloud		MF Scan Utility			
Scan Driver Compatibility		TWAIN,WIA			
SEND					
SEND Method		SMB,Email (SMTP;POP3)			-
Colour Mode		Full Colour,Grayscale,Monochrome			-
Scan Resolution		300 x 300 dpi			-
File Format		JPEG,TIFF;PDF,Compact PDF			-
FAX					
Modem Speed		Up to 33.6 Kbps (Up to 3 seconds/page)			-
Fax Resolution		Up to 200 x 400 dpi			-
Compression Method		MH,MR,MMR			-
Memory Capacity ^(*)		Up to 256 pages			-
Speed Dials		Up to 104 dials			-
Group Dials/Destinations		Max. 103 dials/Max. 50 destinations in one group			-
Sequential Broadcast		Max. 114 destinations			-
Receive Mode		Fax only, Fax/Tel Auto Switch, Answer Mode, Manual			-
Memory Backup		Permanent fax memory backup (Backup with flash memory)			-
Double Sided Faxing		Yes (Transmit and Receive)	Yes (Receive)		-
Fax Features		Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmit only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports			-
PAPER HANDLING					
Auto Document Feeder (ADF)		Duplex ADF: 50 sheets (80 g/m ²)	ADF: 35 sheets (80 g/m ²)		-
Available Paper Size for ADF		A4,B5,A5, B6, Letter, Legal (min. 140 x 127 mm to max. 215.9 x 355.6 mm)	A4, B5, A5, B6, Letter, Legal (min. 148 x 105 mm to max. 215.9 x 355.6 mm)		-
Paper Input (based on 80 g/m ²)	Cassette	250 sheets			
	Multi-Purpose Tray	1 sheet			
Maximum Paper Input Capacity		251 sheets			
Paper Output		100 sheets (face down)			

SPECIFICATIONS		MF269dw	MF266dn	MF264dw	MF261d
PAPER HANDLING					
Paper Sizes	Cassette	A4, B5, A5, A6, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)			
Paper Types	Multi-Purpose Tray				
		Plain, Heavy, Recycled, Label, Envelope			
Paper Weight	ADF	50 to 105 g/m ²			-
	Cassette	60 to 163 g/m ²			
	Multi-Purpose Tray	60 to 163 g/m ²			
CONNECTIVITY & SOFTWARE					
Standard Interfaces	Wired	High-Speed USB 2.0, 10/100 Base-T Ethernet			High-Speed USB 2.0
	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)	-	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS Easy Setup, Direct Connection)	-
Network Protocol	Print	LPD, RAW, IPP/IPPS, WSD-Print (IPv4, IPv6)			-
	Scan	SMB, Email, WSD-Scan (IPv4, IPv6)			-
	TCP/IP Application Services	Bonjour(mDNS), DHCP, BOOTP, RARP, Auto IP (IPv4), DHCPv6 (IPv6)			-
	Management	SNMP v1 /v3 (IPv4, IPv6), HTTP/HTTPS, SMTP			-
Network Security	Wired	IP/Mac Address Filtering, TLS Encrypted Communication, SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication before SMTP			-
	Wireless	WEP 64/128 bit, WPA-PSK (TKIP/AES-CCMP), WPA2-PSK (TKIP/AES-CCMP)	-	WEP 64/128 bit, WPA-PSK (TKIP/AES-CCMP), WPA2-PSK (TKIP / AES-CCMP)	-
		One-Push Wireless Configuration	Wi-Fi Protected Setup (WPS)	-	Wi-Fi Protected Setup (WPS)
Mobile Solution		Canon PRINT Business, Canon Print Service, Google Cloud Print™, Apple AirPrint™, Mopria® Print Service			-
Compatible Operating Systems		Windows® 10, Windows® 8.1, Windows® 7, Windows Server® 2016, Windows Server® 2012 R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.8.5 & up (*3), Linux (*3)			
Software Included		Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status		Printer driver, Scanner driver, MF Scan Utility, Toner Status	
GENERAL					
Device Memory		256 MB			128 MB
LCD Display		6-line Monochrome LCD Touch Screen Display		5-line Monochrome LCD Display	
Dimensions (W x D x H)		390 x 405 x 375 mm			390 x 405 x 327 mm
Weight		13.3 kg		12.4 kg	10.8 kg
Power Consumption	Maximum	1,180 W or less			
	Average (During Operation)	Approx. 340 W			
	Average (During Standby)	Approx. 5.7 W			
	Average (During Sleep)	Approx. 0.8 W (USB/Wired LAN/Wi-Fi)			Approx. 0.5 W (USB)
Noise Levels (*4)	During Operation	Sound Pressure Level: 54 dB, Sound Power Level: 6.5 B			
	During Standby	Sound Pressure Level: Inaudible(*5), Sound Power Level: Inaudible(*5)			
Operating Environment	Temperature	10°C - 30°C			
	Humidity	20% - 80% RH (no condensation)			
Power Requirements		AC 220 - 240 V (±10%), 50/60 Hz (±2 Hz)			
Consumables (*6)	Toner (Standard)	Cartridge 051: 1,700 pages (bundled: 1,700 pages)			
	Toner (High)	Cartridge 051H: 4,100 pages			
	Drum	Drum 051: 23,000 pages			
Monthly Duty Cycle (*7)		30,000 pages			

*1 Scan resolution 300 x 600 dpi. *2 Based on ITU-T #1 Chart (standard mode). *3 The latest drivers for Mac OS and Linux can be downloaded from the <https://asia.canon/> website when available. Only the print function is supported for Linux. *4 Tested in accordance to ISO 7779 and declared per ISO 9296. *5 "Inaudible" indicates the sound pressure level of each bystander position is below the ISO 7779 absolute criteria for the background noise level. *6 Toner cartridge yield is in accordance with ISO/IEC 19752. *7 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser devices, and does not refer to actual maximum image output per month.

Canon

Delighting You Always

South & Southeast Asia Regional Headquarters

Canon Singapore Pte. Ltd.

1 Fusionopolis Place,
#15-10, Galaxis,
Singapore 138522
Tel: 65-6799 8888
Fax: 65-6799 8882
<https://asia.canon/>

CANON OFFICES

HONG KONG
Canon Hongkong Co., Ltd.
Tel: 852-3191 2388
Fax: 852-2369 3800
www.canon.com.hk

INDIA
Canon India Pvt Ltd.
Tel: 91-124 416 0000
Fax: 91-124 416 0011
www.canon.co.in

MALAYSIA
Canon Marketing (Malaysia) Sdn. Bhd.
Tel: 60-3 7844 6000
Fax: 60-3 7845 0505
www.canon.com.my

PHILIPPINES
Canon Marketing (Philippines), Inc.
Tel: 632-884 9090
Fax: 632-556 1456
www.canon.com.ph

SINGAPORE
Canon Singapore Pte. Ltd.
Tel: 65-6799 8888
Fax: 65-6799 8882
www.canon.com.sg

THAILAND
Canon Marketing (Thailand) Co. Ltd.
Tel: 66-2 344 9999
Fax: 66-2 344 9960
www.canon.co.th

VIETNAM
Canon Marketing Vietnam Co. Ltd.
Tel: 84-8 3820 0466
Fax: 84-8 3820 0477
www.canon.com.vn

CANON BUSINESS PARTNERS

AFGHANISTAN
Megaplus Afghanistan Ltd.
Tel: 93 700 228 832 / 700 979 511
Fax: 93 20 220 1259
Email: info@megaplus.com.af

BANGLADESH
J.A.N Associates Ltd.
Tel: 880-2-966-0601
Fax: 880-2-861-0410
www.jan-bd.com

BRUNEI
Interhouse Company
Tel: 673-2-653001
Fax: 673-2-653003
www.ihc.com.bn

CAMBODIA
I-Glick Marketing Co., Ltd.
Tel: 855-23-996638
Fax: 855-23-996639
www.i-glick.com

Royal Cambodia Co. Ltd.
Tel: 855-23-428955
Fax: 855-23-722961
www.royalcambodia.com.kh

INDONESIA
PT. Samaffiro
Tel: 62-21 2949 5500
Fax: 62-21 345 6699
www.samaffiro.co.id

MALDIVES
SIMDI Company (Pvt) Ltd.
Tel: 960 - 3334421
Fax: 960 - 3334424
www.simdi.com

MONGOLIA
ITZone LLC
Tel: 976-11-323705
Fax: 976-11-312699
www.itzone.mn/en

MYANMAR
Myanmar Golden Rock International Co., Ltd.
Tel: 95-1 654810 to 19 (10 Lines)
Fax: 95-1 654820
Email: sales@mgr.com.mm

NEPAL
International Electronics Concern (P) Ltd.
Tel: 977-1 4421991
Fax: 977-1 4421909
www.iec.com.np

PAKISTAN
Shirazi Trading Company (Pvt.) Limited
Tel: (092) 021-38704830-49
www.shirazitrading.com.pk

Megaplus Pakistan
Tel: 111 00 33 55
Fax: +92 51 222 8430
www.megaplus.com.pk

SRI LANKA
Metropolitan Office (Pvt) Ltd.
Tel: 94-11 470 0200
Fax: 94-11 470 0267
www.metropolitan.lk

Dealer's Stamp

0213W754 © 2018 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.