# Canon

# **Safety Data Sheet**

SDS #: TCW 0779 R - 02 GL EN Version: 03

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name Canon NPG-40 Black Toner

Product code(s) 2548B001

Use

Toner for electrophotographic machines

#### Details of the supplier of the safety data sheet

#### Supplier

Canon Australia Pty Ltd Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia Email : qse@canon.com.au Phone number : (61) 2-9805-2000 Emergency phone number : 13 11 26 (Within Australia)

Canon New Zealand Limited 28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand Email : qse@canon.com.au Phone number : 0800 222 666 (Within New Zealand) Emergency phone number : 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd. 1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522 Email : cspl\_msds@canon.com.sg Phone number : (65) 6799-8888

Canon India Pvt. Ltd. 7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India Phone number : (91) 124-416-0000 Emergency phone number : (91) 124-416-0180

Canon (China) Co. Ltd 33F, China Life Financial Center, No.23 Zhenzhi Road, Chaoyang District, Beijing 100026, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email : webmaster@canon-bs.co.kr Phone number : (82) 1588-2500

Manufacturer Canon Inc. 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

GHS Classification Not classified

#### Label elements

Labelling according to GHS

Hazard pictograms Not required

Signal word Not required

Hazard statements Not required

#### Precautionary statements Not required

## Other information None

#### Other hazards which do not result in classification

None

## **SECTION 3: Composition/information on ingredients**

#### <u>Mixtures</u>

Chemical name	CAS-No	EC-No	Weight %	GHS Classification	Note to other hazards
Polyester resin	CBI	CBI	80 - 90	None	
Carbon black	1333-86-4	215-609-9	5 - 10	None	(1)
Amorphous silica	7631-86-9	231-545-4	1 - 3	None	(1)
Titanium dioxide	13463-67-7	236-675-5	< 1	None	(1)

Full texts of Hazard statement(s) are listed in SECTION 16

Note to other hazards : The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which Exposure Limit(s) is (are) established (See SECTION 8)

- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

## **SECTION 4: First aid measures**

#### Description of first aid measures

Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.		
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms occur.		
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention immediately if symptoms occur.		
Eye contact	Flush with plenty of water. Get medical attention immediately if symptoms occur.		
Most important symptoms and effects, both acute and delayed			
Inhalation	None under normal use. Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.		
Ingestion	None under normal use.		
Skin contact	None under normal use.		
Eye contact	None under normal use. May cause slight irritation.		

#### Chronic effects

None under normal use. Prolonged inhalation of excessive amounts of dust may cause lung damage.

#### Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

#### Extinguishing media

**Suitable extinguishing media** Use CO<sub>2</sub>, water, dry chemical, or foam.

Unsuitable extinguishing media None

#### Special hazards arising from the substance or mixture

**Special hazard** May form explosive mixtures with air.

## Hazardous combustion products

Carbon dioxide (CO 2), Carbon monoxide (CO)

#### Advice for firefighters

## Special protective equipment for firefighters None

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust. Avoid contact with skin, eyes and clothing.

#### Environmental precautions

Keep out of waterways.

#### Methods and material for containment and cleaning up

Clean up promptly by scoop or vacuum. If a vacuum cleaner is used, be sure to use a model with dust explosion safety measures. May form explosive mixtures with air.

#### Other information

None

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid breathing dust. Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use only with adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Incompatible with oxidizing agents.

#### Specific end uses

Toner for electrophotographic machines. Obtain special instructions before use.

#### **SECTION 8: Exposure controls/personal protection**

#### Control parameters

#### **Exposure limits**

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Carbon black	None	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> inhalable
1333-86-4				fraction
Amorphous silica	None	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 20 mppcf	None
7631-86-9		dust	: (80)/(% SiO2) mg/m <sup>3</sup>	
			TWA	
Titanium dioxide	None	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup>
13463-67-7		dust		

Appropriate engineering controls

None under normal use conditions.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	No
Skin protection	No
Respiratory protection	No
Thermal hazards	No

Not required under normal use. Not required under normal use. Not required under normal use. Not applicable

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance Odor **Odor threshold** pН Melting/freezing point (°C) Boiling point/range (°C) Flash point (°C) **Evaporation rate** Flammability (solid, gas) Flammability limits in air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Relative density** Solubility(ies) Partition coefficient: n-octanol/water Auto-ignition temperature (°C) Decomposition temperature (°C) Viscosity (mPa s) **Explosive properties Oxidizing properties** 

#### Other information

No data available

Black ; powder Slight odor No data available Not applicable 85 - 120 (Softening point) Not applicable Not applicable Not applicable Not flammable; estimated

Not applicable Not applicable Not applicable Not applicable 1.0 - 1.5 Organic solvent; partly soluble Not applicable No data available > 200 Not applicable May form explosive mixtures with air No data available

## **SECTION 10: Stability and reactivity**

|--|

None

Chemical stability

Stable

Possibility of hazardous reactions

None

Conditions to avoid

None

#### Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

#### Hazardous decomposition products

Carbon dioxide (CO<sub>2</sub>), Carbon monoxide (CO)

## **SECTION 11: Toxicological information**

#### Information on toxicological effects

Acute toxicity	Estimate: LD50 > 2000 mg/kg (Ingestion)
Skin corrosion/irritation	Estimate: Non-irritant
Serious eye damage/eye irritation	Estimate: Transient slight conjunctival irritation only.
Sensitization	Estimate: Non-sensitizing
Germ cell mutagenicity	Ames Test (S. typhimurium, E. coli): Negative
Carcinogenicity	The IARC evaluated carbon black and titanium dioxide as Group 2B carcinogens, for which there are inadequate human evidences, but sufficient animal evidences. The latter are based upon the evidences such as development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black and titanium dioxide at levels that induce particle overload of the lung. However, there are inhalation studies of a toner containing carbon black and a toner containing titanium dioxide which demonstrated or suggested no association between toner exposure and tumor development in rats.
Reproductive toxicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m <sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m <sup>3</sup> , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m <sup>3</sup> . These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

#### Aspiration hazard

No data available

Other information

No data available

## **SECTION 12: Ecological information**

#### Toxicity

#### Ecotoxicity effects

Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, ErL50(0-72h) > 1000 mg/l (WAF)

#### Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

DO NOT put toner or a toner container into fire. Heated toner may cause severe burns. DO NOT dispose of a toner container in a plastic crusher. Use a facility with dust explosion prevention measures. Finely dispersed particles form explosive mixtures with air. Dispose of in accordance with local regulations.

SECTION 14: Transport information		
<u>UN number</u>	None	
UN proper shipping name	None	
Transport hazard class	None	
Packing group	None	
Environmental hazards	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.	

Special precautions for users	IATA: Not regulated
Transport in bulk according to Annex II of MARPOL and the IBC Code	Not applicable
Other information	Not classified as dangerous goods according to ADG.

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation (EC) No 1907/2006 Restriction (EC) No 1005/2009 (EU) 2019/1021 (EU) No 649/2012 Australia Information	Not regulated Not regulated Not regulated Not regulated Not regulated Not classified as hazardous according to criteria of Work Health and Safety Regulations 2011.
Other information	None

## **SECTION 16: Other information**

GHS classification and labelling stated in SECTION 2 and 3 is according to EU Regulation (EC) No 1272/2008 and Australian Model Work Health and Safety Regulations 2011

#### Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EU) 2019/1021, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

- Australian Code for the Transport of Dangerous Goods by Road & Rail

#### Key or legend to abbreviations and acronyms used in the safety data sheet

- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern

- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, (EU) 2017/2398 and (EU) 2019/983, 98/24/EC,

- 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU and (EU) 2017/164.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- ADG: Australian Dangerous Goods
- CBI: Confidential Business Information

Issuing date :	26-Nov-2007
Revision date :	01-May-2020
Revision note	None
Disclaimer	

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.