Page 1 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101 Product Code: 0968A / F47-1871

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Ink Tank BCI-61 Color

**Product Code:** 0968A / F47-1871

**Manufacturer:** Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**Supplier:** Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl\_msds@canon.com.sg

Use of the Product: Ink for Ink Jet Printer

### SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m <sup>3</sup>	Not established	Not established
Thiodiglycol	111-48-8 / 203-874-3	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F/R11 Xi/R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 400 ppm, 983 mg/m <sup>3</sup> STEL = 500 ppm, 1230 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m³
Copper. [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32] -, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	1 - 3	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fractior 1.0 mg/m <sup>3</sup>
C.I. Direct Violet 107  - The substance name in accordance with 67/547/EEC is stated in SECTION 16 (Contained only in magenta ink)	Not registered / 413-180-4	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
C.I. Direct Yellow 173 (Contained only in yellow ink)	Not registered / 414-410-6	1 - 3	Xi / R41	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101 Product Code: 0968A / F47-1871

#### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

### **EU Classification:**

Not classified as dangerous.

### **Emergency Overview:**

A set of three colors ink tanks. (Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

### **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin

May cause mild irritation and no sensitization. (See SECTION 11)

#### **Chronic Effects:**

Not identified

#### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

### SECTION 4 FIRST AID MEASURES

### First Aid Measures:

#### **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

### **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None

Page 3 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101
Product Code: 0968A / F47-1871

SECTION 5 FIRE FIG	GHTING MEASURES		
Fire Fighting Measures:			
Extinguishing Media:			
$CO_2$ , water, foam or dr	ry chemicals		
Unsuitable Extinguishin None	g Media:		
Special Fire Fighting Pro None	ocedures:		
Unusual Fire and Explos	sion Hazards:		
Fire and Explosive Propertie	es (See also Section 9):		
<b>Hazardous Combustion</b>			
$CO, CO_2, NOx and SO$	<u>)x</u>		
Other Properties:			
None			
SECTION 6 ACCIDE	NTAL RELEASE MEASURES		
Personal Precautions:			
Avoid contact with skin, ey	yes and clothing.		
<b>Environmental Precautions:</b>			
Do not release to sewer, su	urface water or ground water.		
Method for Cleaning Up:			
Wipe off with wet cloth or	paper.		
SECTION 7 HANDLI	ING AND STORAGE		
Handling:			
Use with adequate ventilat	ion.		
Avoid contact with skin, ey			
In case of contact, wash ou	t the contaminated area immediately.		
Storage:			
Keep in a cool and dry place			
Keep away from heat and flame.			
Keep out of the reach of ch	maren.		
Specific Uses: Ink for Ink Jet Printer.			
	ase refer to the instruction of this product.		
<del>_</del>			
SECTION 8 EXPOSU Exposure Guidelines:	RE CONTROLS / PERSONAL PROTECTION		
Not established for this inl	k. (See also SECTION 2)		
<b>Engineering Controls:</b>			
Use adequate ventilation.			
Personal Protection Equipm	nent(s):		
<b>Respiratory Protection:</b>			
	■ Not Required		
<b>Eye/Face Protection:</b>	Required		
	■ Not Required		
Skin Protection:	Required		
	■ Not Required		

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101
Product Code: 0968A / F47-1871

SECTION 9 PHYSICAL AND CH	IEMICAL PROPERTIES			
Appearance:	Cyan, magenta and yellow liquid			
Odor:	Slight odor			
pH:	9.2 - 10.4			
<b>Boiling Point/Range(°C):</b>	Not available			
<b>Melting Point/Range(°C):</b>	Not available			
<b>Decomposition Temperature</b> ( ${}^{\circ}$ C):	Not available			
Flash Point(°C):	Estimate: 55 - 60 (Tag Closed Cup. Combustion is not sustainable.)			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature ( ${}^{\circ}C$ ):	Estimate: 440 - 460 (ASTM-E659)			
Flammability:	Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.			
<b>Explosive Properties:</b>	None			
Oxidizing Properties:	None			
Vapor Pressure :	Not available			
Vapor Density :	Not available			
Density / Specific Gravity:	1.04 - 1.10			
Water Solubility :	Miscible			
Fat Solubility :	Not available			
Partition Coefficient (n-Octanol/Water)	Not available			
Percent Volatile (%):	60 - 80			
<b>Evaporation Rate:</b>	Not available			
Viscosity (mPa s):	1.6 - 2.4			
SECTION 10 STABILITY AND R	EACTIVITY			
Stability:	■ Stable     □ Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx, Ammonia and SOx			
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101 Product Code: 0968A / F47-1871

### SECTION 11 TOXICOLOGICAL INFORMATION

### **Acute Toxicity:**

### **Inhalation:**

Not available

#### **Ingestion:**

Not available

### Eye:

Cyan: Minimal irritant, Maximum Group Mean Score = 4.0, Class 3 (rabbit) Magenta: Minimal irritant, Maximum Group Mean Score = 5.3, Class 3 (rabbit) Yellow: Minimal irritant, Maximum Group Mean Score = 5.3, Class 3 (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

#### Skin:

Cyan: Mild irritant, Primary Irritation Index = 0.5 (rabbit) Magenta: Mild irritant, Primary Irritation Index = 0.3 (rabbit) Yellow: Mild irritant, Primary Irritation Index = 0.7 (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

#### **Sensitization:**

Cyan: Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig) Magenta: Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig) Yellow: Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

### **Mutagenicity:**

Ames test:

All colors: Negative (test strains: S.typhimurium)

### **Reproductive Toxicity:**

Not available

### Carcinogenicity:

Not available

#### Others:

Not available

Page 6 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101
Product Code: 0968A / F47-1871

SECTION 12	ECOLOGICAL INFORMATION						
<b>Mobility:</b>	Not available						
Persistence / Degradability:	Not available						
<b>Bioaccumulation:</b>	Not available						
<b>Ecotoxicity:</b>	Not available						
Other Adverse Eff	fects: Not available						
SECTION 13	DISPOSAL CONSIDERATION						
Method of Disposa Disposal should	al: I be subject to federal, state and local laws.						
SECTION 14	TRANSPORT INFORMATION						
UN #:	None						
<b>UN Shipping Nam</b>	e: None						
<b>UN Classification:</b>	None						
UN Packing Group	p: None						
<b>Marine Pollutant:</b>	☐ Yes Chemical name (wt%):  ☒ No						
<b>Special Precaution</b>	None None						
SECTION 15 < EU Information Information on the Symbol & Indiana.							
R-Phrase: Not required	i						
S-Phrase: Not required	1						
Dangerous Con None							
None	mponent(s): utions under 1999/45/EC Annex V:						
None Special Precau Not required	mponent(s): utions under 1999/45/EC Annex V:						
None Special Precau Not required	mponent(s):  Itions under 1999/45/EC Annex V:						
None Special Precau Not required Specific Provision 76/769/EEC:	mponent(s):  Itions under 1999/45/EC Annex V:  It is in Relation to Protection of Man or the Environment:						
None Special Precau Not required Specific Provision 76/769/EEC:	mponent(s):  ations under 1999/45/EC Annex V:  as in Relation to Protection of Man or the Environment:  Not regulated  Not regulated						
None Special Precau Not required Specific Provision 76/769/EEC: (EC)2037/2000	mponent(s):  ations under 1999/45/EC Annex V:  as in Relation to Protection of Man or the Environment:  Not regulated  Not regulated						

Page 7 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101
Product Code: 0968A / F47-1871

### < USA Information >

### Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

**Hazardous Component(s):** 

None

**SARA Title III §313:** 

Chemical NameWeight %"Copper Compounds" (Contained only in cyan ink)1 - 3(as Cu)(< 0.35)</td>

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

### SECTION 16 OTHER INFORMATION

<SECTION 2 Ingredient(s) / Substance name(s)>

"C. I. Direct Violet 107":

- -1,3,5-triazin-2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]
- -isophthalate; ammonium 5-[8-[4-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin-2-yl] -2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonatonaphthalen-2-ylazo]
- -isophthalate; 5-[8-[4-[4-[7-(3,5-dicarboxylatophenylazo)-8-hydroxy-3,6-disulfonatonaphthalen-1-ylamino]-6-hydroxy-1,3,5-triazin
- -2-yl]-2,5-dimethylpiperazin-1-yl]-6-hydroxy-1,3,5-triazin-2-ylamino]-1-hydroxy-3,6-disulfonaphthalen-2-ylazo]-isophthalic acid"

<R phrase list>

R11 : Highly flammable. R36 : Irritating to eyes.

R41 : Risk of serious damage to eyes. R67 : Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Entirely revised.



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1204-0101 Product Code: 0968A / F47-1871

### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EEC)2455/92
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.