

Safety Data Sheet

SDS #: ICW 0816 R - 03 GL EN Issuing date: 24-Jul-2003 Revision date: 15-Sep-2017

Version: 05

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Canon Ink Tank BCI-6R **Product name**

Product Code(s) 8891A

Use Ink for Ink Jet Printer

Details of the supplier of the safety data sheet

Supplier

Canon Australia Pty Ltd

Building A, The Park Estate, 5 Talavera Road, Macquarie Park, NSW 2113, Australia

Email: gse@canon.com.au Phone number: (61) 2-9805-2000

Emergency phone number: 13 11 26 (Within Australia)

Canon New Zealand Limited

28 The Warehouse Way, Akoranga Business Park, Northcote, Auckland, 0627, New Zealand

Email: qse@canon.com.au

Phone number: 0800 222 666 (Within New Zealand)

Emergency phone number: 0800 764 766 or 0800 POISON (Within New Zealand)

Canon Singapore Pte. Ltd.

1 Fusionopolis Place, #15-10 Galaxis, Singapore 138522

Email: cspl_msds@canon.com.sg Phone number: (65) 6799-8888

Canon India Pvt. Ltd.

7th Floor, Tower B, DLF Epitome, DLF Phase-3, Gurgaon-122002 Haryana, India

Phone number: (91) 124-416-0000

Emergency phone number: (91) 124-416-0180

Canon (China) Co. Ltd

2F., Jinbao Building No.89 Jinbao Street, Dongcheng District, Beijing, 100005, P.R.China

Canon Korea Business Solutions INC. 607 Teheran-ro, Gangnam-gu, Korea Email: webmaster@canon-bs.co.kr Phone number: (82) 1588-2500

Manufacturer

Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified

Label Elements

Labelling according to Regulation (EC) No 1272/2008

GL EN Page 1/7

Hazard pictograms

Not required

Signal word Not required

Hazard statements

Not required

Precautionary statements

Not required

Other Information

Contains less than 30% of components with unknown hazards to the aquatic environment.

Other hazards which do not result in classification

FD&C Yellow No. 6: May cause an allergic reaction in persons with aspirin sensitivity.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical name	CAS-No	EC-No	Weight %	Classification (Reg. 1272/2008)	Note to Other Hazards
Glycerin	56-81-5	200-289-5	5 - 10	None	
Ethylene glycol	107-21-1	203-473-3	5 - 10	Acute Tox. 4 (H302) STOT RE 2 (kidney) (H373)	(1)
Lactam	CBI	CBI	5 - 10	Eye Irrit. 2 (H319)	
Ammonia derivative	CBI	CBI	5 - 10	None	
Isopropyl alcohol	67-63-0	200-661-7	1 - 5	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	
FD&C Yellow No. 6	CBI	CBI	1 - 5	None	
Water	7732-18-5	231-791-2	60 - 80	None	

Full texts of Hazard statement(s) are listed in SECTION 16

Note to Other Hazards: The following substance(s) is (are) marked with (1), (2) and/or (3)

- (1) Substance for which EU Occupational Exposure Limit(s) is (are) established (See SECTION 8)
- (2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006
- (3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

SECTION 4: First aid measures

Description of first aid measures

Inhalation Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention immediately if symptoms

occur.

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye Contact Flush with plenty of water. Get medical attention immediately if symptoms occur.

Most important symptoms and effects, both acute and delayed

GL EN Page 2/7

Inhalation None under normal use. Symptoms of overexposure are dizziness, headache, tiredness,

nausea, unconsciousness, cessation of breathing.

Ingestion None under normal use. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Skin Contact None under normal use.

Eye Contact None under normal use. May cause slight irritation.

Chronic Effects None under normal use.

Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use CO₂, water, dry chemical, or foam.

Unsuitable extinguishing media

None

Special hazards arising from the substance or mixture

Special Hazard

None

Hazardous combustion products

Carbon dioxide (CO₂), Carbon monoxide (CO)

Advice for firefighters

Special protective equipment for fire-fighters

None

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Environmental Precautions

Keep out of waterways.

Methods and material for containment and cleaning up

Wipe up with adsorbent material (e.g. cloth, fleece).

Other Information

None

SECTION 7: Handling and storage

Precautions for safe handling

GL EN Page 3/7

Avoid contact with skin, eyes and clothing. Clean contaminated surface thoroughly. Use with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from direct sunlight. Keep away from heat and sources of ignition.

Specific end uses

Ink for Ink Jet Printer. Obtain special instructions before use.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	EU OEL	Australia OEL	OSHA PEL	ACGIH TLV
Glycerin	None	TWA: 10 mg/m ³ inhalable	TWA: 15 mg/m³ mist, total	None
56-81-5		dust, mist	particulate	
			TWA: 5 mg/m³ mist,	
			respirable fraction	
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m³ particulate	None	TWA: 25 ppm vapor fraction
107-21-1	TWA: 52 mg/m ³	TWA: 20 ppm vapour		STEL: 50 ppm vapor fraction
	STEL: 40 ppm	TWA: 52 mg/m ³ vapour		STEL: 10 mg/m³ inhalable
	STEL: 104 mg/m ³	STEL: 40 ppm vapour		particulate matter, aerosol
		STEL: 104 mg/m³ vapour		only
Isopropyl alcohol	None	TWA: 400 ppm	TWA: 400 ppm	TWA: 200 ppm
67-63-0		TWA: 983 mg/m ³	TWA: 980 mg/m ³	STEL: 400 ppm
		STEL: 500 ppm		
		STEL: 1230 mg/m ³		

Appropriate engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face ProtectionNot required under normal use.Skin ProtectionNot required under normal use.Respiratory ProtectionNot required under normal use.

Thermal hazards Not Applicable

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

AppearanceRed ; LiquidOdorSlight odor

Odor threshold No data available

H 8 - 9

Melting/Freezing point (°C)No data availableBoiling Point/Range (°C)No data available

Flash Point (°C) 59.2 (Tag. Closed Cup. Combustion is not sustainable.)

Evaporation Rate No data available Flammability (solid, gas) Not Applicable

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
No data available
No data available
Vapor pressure
No data available
Vapor density
No data available

Relative density 1.0 - 1.1
Solubility(ies) Water; miscible

GL EN Page 4/7

Partition coefficient: n-octanol/waterNo data availableAutoignition Temperature (°C)No data availableDecomposition Temperature (°C)No data available

Viscosity (mPa s) 1 - 5

Explosive propertiesNone; estimated
Oxidizing properties
None; estimated

Other Information

No data available

SECTION 10: Stability and reactivity

Reactivity

None

Chemical stability

Stable

Possibility of Hazardous Reactions

None

Conditions to Avoid

None

Incompatible materials

Acids, Bases, Oxidizing agents, Reducing agents.

Hazardous Decomposition Products

Carbon dioxide (CO₂), Carbon monoxide (CO), and/or Ammonia.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritationConsidered to be "not irritating" based on the classification criteria under 2001/59/EC.

(OECD Guideline)

Serious eye damage/eye irritation Considered to be "not irritating" based on the classification criteria under 2001/59/EC.

(OECD Guideline)

Sensitization Non-sensitizer (OECD Guideline)

Germ cell mutagenicity Ames test: Negative

Chromosome aberration test: Negative

Carcinogenicity No data available

Reproductive Toxicity No data available

STOT - single exposure No data available

GL EN Page 5/7

STOT - repeated exposure No data available

Aspiration hazard No data available

Other Information FD&C Yellow No. 6: May cause an allergic reaction in persons with aspirin sensitivity.

SECTION 12: Ecological information

Toxicity

Ecotoxicity effects

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Dispose of in accordance with local regulations.

SECTION 14: Transport information

UN number None

UN Proper Shipping Name None

Transport Hazard Class None

Packing Group None

Environmental Hazards Not classified as environmentally hazardous under UN Model Regulations and

marine pollutant under IMDG Code.

<u>Special Precautions for users</u>

IATA: Not regulated

Transport in bulk according to Annex II of

MARPOL and the IBC Code

Not Applicable

SECTION 15: Regulatory information

GL EN Page 6/7

Safety, health and environmental regulations specific for the product in question

(EC) No 1907/2006 Authorisation Not regulated Not regulated (EC) No 1907/2006 Restriction Not regulated (EC) No 1005/2009 (EC) No 850/2004 Not regulated (EU) No 649/2012 Not regulated

Australia Information Not classified as hazardous according to criteria of Work Health and Safety Regulations

2011.

Other Information None

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

Key literature references and sources for data

- U.S. Department of Labor, 29CFR Part 1910
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EU) No 649/2012
- Safe Work Australia, Model Work Health and Safety Act 2011 and Model Work Health and Safety Regulations 2011

Key or legend to abbreviations and acronyms used in the safety data sheet

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- SVHC: Substances of Very High Concern
- EU OEL: Occupational exposure limits at Union level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU.
- OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)
- ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists
- TWA: Time Weighted Average
- STEL: Short Term Exposure Limit
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association
- CBI: Confidential Business Information

Issuing date: 24-Jul-2003

Revision date: 15-Sep-2017

Revision Note Entirely revised

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

GL EN Page 7/7