

MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202 Product Code: 1419A / F41-6801

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Toner (Black) for CLC300

Product Code: 1419A / F41-6801

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS < Ingredient(s) > CAS#/ USA Weight EU Symbol/ Chemical Name / ACGIH TLV **EU ILV** DFG MAK Generic Name EC# % R-Phrase OSHA PEL Polyester resin 85 - 95 Confidential None/ None Not established Not established Not established Not established Carbon black 1333-86-4/ Not established 1 - 4 None/ None $3.5 \text{ mg/m}^3 \text{ (TWA)}$ Not established 3.5 mg/m3 (TWA) 215-609-9 72869-85-3/ Xn/ R22 Not established Not established Not established Not established Hydrogen 1 - 4 bis[3,5-di-tert-butylsalicyl 276-955-4 (as Cr: 0.1 - 0.4) ato(2-)-O1,O2]chromate(1 -)

< Carcinogen >

Chemical Name CAS# Reference

Carbon Black (1 - 4%) 1333-86-4 IARC: Group 2B. NTP; OSHA; Annex I to 67/548/EEC: Not listed.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eye:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202 Product Code: 1419A / F41-6801

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202 Product Code: 1419A / F41-6801

SECTION 8 EXPOSU Exposure Guidelines:	RE CONTR	OLS / PERSONAL PROTECTION			
USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)					
Engineering Controls: Use adequate ventilation.					
Personal Protection Equipment(s):					
Respiratory Protection: ☐ Required ☑ Not Required		ired			
Eye/Face Protection:	☐ Required ☑ Not Required				
Skin Protection:	☐ Required Not Required				
SECTION 9 PHYSICA	AL AND CH	EMICAL PROPERTIES			
Appearance:		Black fine powder			
Odor:		Slight plastic odor			
pH:		Not applicable			
Boiling Point/Range(°C):		Not applicable			
Melting Point/Range(°C):		100 - 150 (Softening point)			
Decomposition Temperature (°C):		> 200			
Flash Point(°C):		Not applicable			
Flammable (Explosive) Limits:		Not applicable			
Autoignition Temperature(°C):		Not available			
Flammability:		Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids))			
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.			
Oxidizing Properties:		Not available			
Vapor Pressure:		Not applicable			
Vapor Density:		Not applicable			
Density / Specific Gravity:		1.0 - 1.2			
Water Solubility:		Negligible			
Fat Solubility:		Partially soluble in toluene and xylene.			
Partition Coefficient (n-Octanol/Water):		Not applicable			
Percent Volatile:		Negligible			
Evaporation Rate:		Not applicable			
Viscosity (mPa s):		Not applicable			

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202 Product Code: 1419A / F41-6801

SECTION 10 STABILITY AN	STABILITY AND REACTIVITY	
Stability:	■ Stable □ Unstable	
Conditions to Avoid:	None	
Materials to Avoid:	Strong oxidizers	
Hazardous Decomposition Products	: CO, CO2	
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur	
Conditions to Avoid:	None	
SECTION 11 TOXICOLOGIC	CAL INFORMATION	
Acute Toxicity: Inhalation: Not available		
Ingestion: Rat, LD50 > 5000 mg/kg		
Eye: Rabbit, transient slight conjunct	tival irritation only.	
Skin: Rabbit, non-irritant		
Sensitization: Guinea pig, skin: Non-sensitizii	ng	
Mutagenicity: Ames Test (S. typhimurium): N	legative	
Reproductive Toxicity: Not available		
Carcinogenicity:		

The IARC evaluated carbon black as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, there is a two-year inhalation study of a toner containing carbon black which demonstrated no association between toner exposure and tumor development in rats.

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202 Product Code: 1419A / F41-6801

SECTION 12 E	COLOG	SICAL INFORMATION		
Mobility:		Not available		
Persistence / Degrad	ability:	Not available		
Bioaccumulation:		Not available		
Ecotoxicity:		Not available		
Other Adverse Effec	ets:	Not available		
SECTION 13 D	ISPOSA	L CONSIDERATION		
Method of Disposal:	101 001	E CONSIDERATION		
DO NOT put tone container, unless d	lust-explo	container into fire; heated toner may cause severe burns. DO NOT shred a toner osion preventing measures are taken. Finely dispersed particles form explosive mixtures ubject to federal, state and local laws.		
SECTION 14 T	RANSP	ORT INFORMATION		
UN #:	None			
UN Shipping Name:	None			
UN Classification:	None			
UN Packing Group:	None			
Marine Pollutant:	☐ Yes ☑ No	Chemical name (wt%):		
Special Precautions:	None			
SECTION 15 R	REGULA	TORY INFORMATION		
< EU Information >				
Information on the Label: Symbol & Indication: Not required				
R-Phrase:				
Not required				
S-Phrase: Not required				
Dangerous Com None	ponent(s):		
-		r 1999/45/EC Annex V: ble for professional user on request.		
Specific Provisions 76/769/EEC:	in Relati Not regu	ion to Protection of Man or the Environment:		
(EC)2037/2000:				
(EC)304/2003:	Not regu			
Others:	None			
< USA Information >	>			
Information on the				
Signal Word:	Not requ	nired		
Hazard warning: Not required				
-				



MATERIAL SAFETY DATA SHEET

MSDS #: TN1069-0202

Product Code: 1419A / F41-6801

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

 Chemical Name
 Weight %

 "Chromium() Compounds"
 1 - 4

 (as Cr)
 (0.1 - 0.4)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not a controlled product

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

R-phrase list:

R22 Harmful if swallowed.

Revised information from the previous version: Section 2

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\;ILV:\;Indicative\;Limit\;Values\;for\;Occupational\;Exposure\;under\;EU\;Directive\;91/322/EEC\;and\;2000/39/EC.$

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.