Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101 Product Code: 1474A / F41-4102

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Cartridge A30 (Black)

Product Code: 1474A / F41-4102

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	50-60	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	30-40	None/ None	Not established	Not established	Not established	Not established
Styrene polymer	Confidential	5-10	None/ None	Not established	Not established	Not established	Not established

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic. Ingestion is a minor route of entry for intended use of this product.

Eve:

May cause transient slight irritation.

Skin:

May be non-irritant.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101 Product Code: 1474A / F41-4102

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101 **r** Product Code: 1474A / F41-4102

	JRE CONTR	OLS / PERSONAL PROTECTION				
Exposure Guidelines: USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)						
Engineering Controls: Use adequate ventilation.						
Personal Protection Equipm	Personal Protection Equipment(s):					
Respiratory Protection: ☐ Required ☑ Not Required						
Eye/Face Protection:	Protection: ☐ Required ☑ Not Required					
Skin Protection:	☐ Required Not Required	ired				
SECTION 9 PHYSIC	SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:		Black fine powder				
Odor:		Slight plastic odor				
pH:		Not applicable				
Boiling Point/Range(${}^{\circ}$ C):		Not applicable				
Melting Point/Range(°C):		100 - 150 (Softening point)				
Decomposition Temperature	e(°C):	>200				
Flash Point(°C):		Not applicable				
Flammable (Explosive) Limit	its:	Not applicable				
Autoignition Temperature (°	(C):	Not available				
Flammability:		Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))				
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.				
Oxidizing Properties:		Not available				
Vapor Pressure:		Not applicable				
Vapor Density:		Not applicable				
Density / Specific Gravity:		1.4 - 1.6				
Water Solubility:		Negligible				
Fat Solubility:		Partially soluble in toluene and xylene.				
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$		Not applicable				
Percent Volatile:		Negligible				
Evaporation Rate:		Not applicable				
Viscosity (mPa s):		Not applicable				

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101 Product Code: 1474A / F41-4102

SECTION 10 STABILITY AND REACTIVITY				
Stability:	Stable Unstable Unstable			
Conditions to Avoid:	None			
Materials to Avoid:	Strong oxidizers CO, CO2 ☐ May Occur ☑ Will Not Occur			
Hazardous Decomposition Products:				
Hazardous Polymerization:				
Conditions to Avoid:	None			
SECTION 11 TOXICOLOGICAL INFORMATION				
Acute Toxicity: Inhalation: Not available				
Ingestion: Estimate: Rat, LD50> 5000 mg/kg				
Eye: Estimate: Rabbit, transient slight conjunctival irritation only.				
Skin: Estimate: Rabbit, non-irritant				
Sensitization: Guinea pig, skin: Non-sensitizing				
Mutagenicity: Ames Test (S. typhimurium): Negative				
Reproductive Toxicity: Not available				
Carcinogenicity: Not available				

Others:

Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101 Product Code: 1474A / F41-4102

SECTION 12 E	COLOG	ICAL INFO	RMATION		
Mobility:		Not available			
Persistence / Degrad	lability:	Not available			
Bioaccumulation:		Not available			
Ecotoxicity:		Not available			
Other Adverse Effec	ets:	Not available			
SECTION 13 D	ISPOSA	L CONSIDE	RATION		
Method of Disposal: DO NOT put tone container, unless d	r or toner lust-explo	container into	fire; heated toner may cause severe burns. DO NOT shred a toner g measures are taken. Finely dispersed particles form explosive mixtures al, state and local laws.		
SECTION 14 T	RANSP	ORT INFOR	MATION		
UN #:	By ship:	None	By air:Not identified		
UN Shipping Name:			By air:Not identified		
	By ship:		By air:Not identified		
UN Packing Group:	By ship:	None	By air:Not identified		
Marine Pollutant:	☐ Yes ► No	Chemical na	me (wt%):		
Special Precautions:	None				
SECTION 15	REGULA	TORY INFO	RMATION		
< EU Information >					
Information on the Symbol & Indica		ot required			
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Com None	ponent(s):			
Special Precaution Not required	ons unde	r 1999/45/EC	Annex V:		
Specific Provisions 76/769/EEC:	in Relati Not regu		on of Man or the Environment:		
(EC)2037/2000:					
(EC)304/2003:	Not regulated				
Others:	None				
< USA Information >	>				
Information on the	Label:				
Signal Word:	Not requ	Not required			
Hazard warning Not required	; .				
Tiorrequired					

Page 6 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1150-0101
Product Code: 1474A / F41-4102

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.