Page 1 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Cartridge E16 Black

Product Code: 1492A / F41-8802

Manufacturer: Canon Inc.

30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

Supplier: Canon Singapore Pte Ltd

1 HarbourFront Avenue, #04-01, Keppel Bay Tower, Singapore 098632

cspl_msds@canon.com.sg

Use of the Product: Toner for electrophotographic apparatus

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >

Chemical Name / Generic name	CAS #/ EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Styrene acrylate copolymer	Confidential	50-60	None/ None	Not established	Not established	Not established	Not established
Iron oxide	1317-61-9/ 215-277-5	40-50	None/ None	Not established	Not established	Not established	Not established
Amorphous silica	7631-86-9/ 231-545-4	1-2	None/ None	20mppcf, 80(mg/m³)/%SiO ₂	10mg/m³(TWA)	Not established	4mg/m³ (Inhalable fraction)

< Carcinogen >

Chemical Name CAS # Reference

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Black fine powder, slight plastic odor.

Potential Health Effects and Symptoms:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Practically non-toxic based on animal testing. Ingestion is a minor route of entry for intended use of this product.

Eve:

May cause transient slight irritation.

Skin:

May cause slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Medical Conditions Generally known to be Aggravated by Exposure:

Not determined

Page 2 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Fire and Explosive Properties (See also Section 9):

Hazardous Combustion Products:

CO2, CO

Other Properties:

Not available

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid breathing dust.

Environmental Precautions:

Do not wash away into sewer.

Method for Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

SECTION 7 HANDLING AND STORAGE

Handling:

Avoid breathing dust.

Use with adequate ventilation.

Storage:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific Uses:

Toner for electrophotographic apparatus.

For more information, please refer to the instruction of this product.

Page 3 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION Exposure Guidelines:						
USA OSHA PEL (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction) ACGIH TLV (TWA): 10 mg/m³ (Inhalable fraction), 3 mg/m³ (Respirable fraction) DFG (MAK): 4 mg/m³ (Inhalable fraction), 1.5 mg/m³ (Respirable fraction) (Also refer to SECTION 2)						
Engineering Controls: Use adequate ventilation.						
Personal Protection Equipment(s):						
Respiratory Protection: ☐ Required ☑ Not Requi		ired				
Eye/Face Protection:	ion: ☐ Required ☑ Not Required					
Skin Protection:	☐ Required Not Required					
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES						
Appearance:		Black fine powder				
Odor:		Slight plastic odor				
pH:		Not applicable				
Boiling Point/Range(°C):		Not applicable				
Melting Point/Range(°C):		100 - 150 (Softening point)				
Decomposition Temperature (°C):		>200				
Flash Point(°C):		Not applicable				
Flammable (Explosive) Limits:		Not applicable				
Autoignition Temperature (°	C):	Not available				
Flammability:		Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))				
Explosive Properties:		Can form explosive dust-air mixtures when finely dispersed in air.				
Oxidizing Properties:		Not available				
Vapor Pressure:		Not applicable				
Vapor Density:		Not applicable				
Density / Specific Gravity:		1.4 - 1.8				
Water Solubility:		Negligible				
Fat Solubility:		Partially soluble in toluene and xylene.				
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$		Not applicable				
Percent Volatile:		Negligible				
Evaporation Rate:		Not applicable				
Viscosity (mPa s):		Not applicable				

Page 4 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

SECTION 10 STABILITY AND	REACTIVITY		
Stability:	Stable Unstable		
Conditions to Avoid:	None		
Materials to Avoid:	Strong oxidizers		
Hazardous Decomposition Products:	CO, CO2		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		
SECTION 11 TOXICOLOGICAL INFORMATION			
Acute Toxicity: Inhalation: Not available			
Ingestion: Rat, LD50 > 5000 mg/kg			
Eye:			
Rabbit, transient slight conjunctive	val irritation only.		
Skin: Rabbit, moderate irritant			
Sensitization: Guinea pig, skin: Non-sensitizing			
Mutagenicity: Ames Test (S. typhimurium): Negative			
Reproductive Toxicity: Not available			
Carcinogenicity: Not available			
Others:			
Chronic effects: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in			

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m³ which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m³, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Page 5 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

SECTION 12 EC	OLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradab	bility: Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effects	Not available				
CECTION 12 DIC	SPOCAL CONSIDERATION				
	SPOSAL CONSIDERATION				
container, unless dus	or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner t-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures ld be subject to federal, state and local laws.				
SECTION 14 TR	ANSPORT INFORMATION				
UN #: 28	807				
UN Shipping Name: M	lagnetized material				
UN Classification: 9					
UN Packing Group: N	one				
	Yes Chemical name (wt%): No				
Special Precautions: 96	or more of these products shipped together, by air, are regulated as magnetized material.				
SECTION 15 RE	GULATORY INFORMATION				
< EU Information >					
Information on the Label: Symbol & Indication: Not required					
R-Phrase: Not required					
S-Phrase: Not required					
Dangerous Component(s): None					
Special Precaution Not required	s under 1999/45/EC Annex V:				
Specific Provisions in	Relation to Protection of Man or the Environment:				
76/769/EEC: N	ot regulated				
(EC)2037/2000: N	ot regulated				
(EC)304/2003: N	ot regulated				
Others: N	one				
< USA Information >					
Information on the Label:					
_	ot required				
Hazard warning: Not required					

Page 6 of 6



MATERIAL SAFETY DATA SHEET

MSDS #: TC1151-0101 Product Code: 1492A / F41-8802

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

Revised information from the previous version:

Entirely revised

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\;ILV:\;Indicative\;Limit\;Values\;for\;Occupational\;Exposure\;under\;EU\;Directive\;91/322/EEC\;and\;2000/39/EC.$

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.